



AUBURN[®]

IGNITION PRODUCTS

SINCE 1910

Igniters Series I-3



Igniters Series I-31



Igniters Series I-31-1



Igniters Series I-6



Technical data

Auburn Sales Symbol	SKU	Thread	Center Electrode Material	HEX
I-3	12987	14mm x 1.25mm	Nickel	13/16
I-31	12989	14mm x 1.25mm	Nickel	13/16
I-31-1	12990	14mm x 1.25mm	Nickel	13/16
I-6	12954	1/2-14 NPT	Nickel	7/8

Flame Rods Series FRS-2



Flame Rods Series FRS-4



Technical data

Auburn Sales Symbol	Probe Length "A" (inches)	SKU	Thread	Center Electrode Material	Operating Temperature
FRS-2-12	12	13035	1/2 NPT	Kanthal	2350 °F
FRS-2-18	18	13037	1/2 NPT	Kanthal	2350 °F
FRS-2-24	24	13038	1/2 NPT	Kanthal	2350 °F
FRS-2-6	6	13034	1/2 NPT	Kanthal	2350 °F
FRS-3	3	13044	1/2-14 NPT	Nichrome	2100 °F
FRS-4-12	12	13041	1/4-18 NPT	Kanthal	2350 °F
FRS-4-24	24	13043	1/4-18 NPT	Kanthal	2350 °F
FRS-4-4	4	13039	1/4-18 NPT	Kanthal	2350 °F
FRS-4-6	6	13040	1/4-18 NPT	Kanthal	2350 °F
FRS-4-7.5	8	13117	1/4-18 NPT	Kanthal	2350 °F
FRS-4 with 48" c/w	48	13848	1/4-18 NPT	Kanthal	2350 °F
FRS-5	28	13045	1/2 NPT	Kanthal	2350 °F
FRS-5 with 64" c/w	64	13313	1/2 NPT	Stainless Steel	1500 °F
FRS-9	9	13316	10mm x 1mm SAE	Stainless Steel	1500 °F